

# Adaptation and content personalization in the context of multi user museum exhibits

Nikolaos Partarakis

Foundation for Research and  
Technology – Hellas (FORTH)

Institute of Computer Science (ICS)  
N. Plastira 100

Heraklion - Crete, GR 70013 Greece

[partarak@ics.forth.gr](mailto:partarak@ics.forth.gr)

Margherita Antona

Foundation for Research and  
Technology – Hellas (FORTH)

Institute of Computer Science (ICS)  
N. Plastira 100

Heraklion - Crete, GR 70013 Greece

[antona@ics.forth.gr](mailto:antona@ics.forth.gr)

Constantine Stephanidis

Foundation for Research and  
Technology – Hellas (FORTH)

Institute of Computer Science (ICS)  
N. Plastira 100

Heraklion - Crete, GR 70013 Greece

[cs@ics.forth.gr](mailto:cs@ics.forth.gr)

University of Crete, Department of  
Computer Science

## ABSTRACT

Two dimensional paintings are exhibited in museums and art galleries in the same manner since at least three centuries. However, the emergence of novel interaction techniques and metaphors provides the opportunity to change this status quo, by supporting mixing physical and digital Cultural Heritage experiences. This paper presents the design and implementation of a technological framework based on Ambient Intelligence to enhance visitor experiences within Cultural Heritage Institutions (CHIs) by augmenting two dimensional paintings. Among the major contributions of this research work is the support of personalized multi user access to exhibits, facilitating also adaptation mechanisms for altering the interaction style and content to the requirements of each CHI visitor. A standards compliant knowledge representation and the appropriate authoring tools guarantee the effective integration of this approach to the CHI context.

## CCS Concepts

- Human-centered computing~Ambient intelligence
- Human-centered computing~Mixed / augmented reality

## Keywords

J.5 (Fine arts), H.5.1 (Artificial, augmented, and virtual realities)

## 1. Introduction

Ambient Intelligence (AmI) presents a vision of a technological environment capable of reacting in an attentive, adaptive and active (sometimes proactive) way to the presence and activities of humans and objects in order to provide appropriate services to its inhabitants [3]. In the context of AmI, the need to adapt a distributed system to the requirements and preferences of a diverse user population is a major issue. This work explores the penetration of AmI technology within the domain of Cultural Heritage and more specifically CHIs through the proposal of augmented exhibits that can be displayed in a standalone way or supplement an actual physical artifact. In this context the need of personalization is important, so as to deliver the most appropriate information to visitors, thus making some form of interaction adaptation a necessity. This work builds on and revisits the approach to UI adaptation proposed in [1], [2], so as to provide dialogue and task adaptation, content personalization and reasoning within CHIs facilitating novel means of accessing art, and in particular two dimensional paintings.

## 2. Background

By 2006, according to the Institute for Museum and Library Services, 43% of museum visits in the U.S. were remote. According to the Institute for the Future, “Emerging technologies are transforming everything that constitutes our notion of “reality”—our ability to sense our surroundings, our capacity to reason, our perception of the world”. Nowadays CHIs strive to design and implement interactive exhibitions that offer enjoyable and educational experiences. However, designing such an exhibition is not an easy task, because most visitors might visit only once, and a typical visit only lasts for a very short time [4], [5]. Interactive exhibits can be broadly classified in four categories: (a) hybrid exhibits which aim at augmenting an artifact with graphics [6] or audio commentaries [7]; (b) side exhibits which are placed adjacent to a real exhibit, providing indirect exploration of, and interaction with it [8]; (c) isolated, but linked, exhibits having “a conceptual affinity with the original artwork”; they are related to a real exhibit but installed in separate, dedicated, locations [7], [9]; and (d) stand-alone exhibits containing content related to an exhibition, but not directly linked to an artifact [10].

In terms of technology, mobile devices have currently achieved the greatest amount of penetration within CHIs. Existing mobile applications for CHIs fall into the following categories [11]: (a) 45% provide guided tours of the CHIs in general; (b) 31% provide guided tours of temporary exhibitions; (c) 8% provide combinations of the first two; (d) 8% are applications devoted to a single object; (e) 4% offer content creation or manipulation; and (f) 3% are games.

Although much work has been done to date, there are several limitations to the approaches currently followed for facilitating CH within CHIs. Major improvements are considered: (a) the support of multi user interaction, (b) content personalization, (c) facilitation of structured knowledge (based on existing domain standards) and (d) scalability and extensibility. To provide the above, an augmented digital exhibit should be designed and implemented to be: (a) generic, built on top of an ontology meta-model (extending CIDOC-CRM) to present two dimensional paintings including the appropriate tools to support the integration, annotation, and preparation of knowledge, (b) available to a large number of visitors concurrently (using smart phones, digital projections, interactive captions and hand held tablet devices), (c) personalizable using mobile devices for information displays through a user profile so as to adapt content and presentation and (d) adaptable facilitating a rule engine to execute UI adaptation rules resulting to the optimum UI variation for each user.

### 3. Scenario of use

One of the personas used during the conceptual design of the exhibit was Anna, who has a non-professional interest in art, but is an art lover enjoying visiting museum, galleries, etc. Anna decides to take a visit to the local Museum of Art. While entering the museum towards the exhibition, a notification appears on her mobile device prompting her to download the mobile client. She also takes a minutes to fill in an anonymous profile. Within the museum her mobile device is used as a navigator allowing her to access information by scanning QR codes. When Anna approaches an exhibit, she notices that information is projected on the periphery of the painting, while a tablet is unobtrusively located in front as an interactive caption. Anna can use touch for navigating and browsing the vast collection of information available for the specific exhibit using the tablet. She also shows the QR code representation of her profile to the caption (or any other component of the exhibit) so as to access personalised information (Anna has painting as a hobby and loves learning about materials and techniques used by the old masters). She also notices that the UI of the caption is altered allowing her to slide through representations (as an expert user of mobile devices).

When she stands in front of the digital painting, an interactive menu appears allowing her to start interacting with the specific exhibit. She can use her hands to indicate points of interest within the painting to get additional information. She can also use gestures for zooming in and out specific regions of the painting and therefore accessing details that are typically lost when digitized artefacts are presented in their entirety at low resolution. Anna also wonders what happens when more than one person is accessing the same exhibit. In the room she sees several people standing in front of a large painting and all seem to be actively engaged while also noticing that an elderly user is required only to locate himself in front of a painting so as to get information. Alternatively, when approaching a physical exhibit, she gets informed that she can use one of the tablets located on a stand on each side of the exhibit to access personalised information based on her location in front of the painting.

### 4. A Distributed Architecture to support content and UI adaptation in CHIs

Four main goals are addressed in the proposed architecture (see figure 1): (a) model the knowledge facilitated by the system (artefacts, users and context), (b) provide facilities within a distributed environment (consisting of applications, devices and sensors), (c) provide personalised information to users based on their preferences and (d) perform task and UI adaptation.

The Content Personalisation Engine (figure 1 section A) employs the Art meta-model, which is an extension of the CIDOC CRM [13], to represent two dimensional paintings. The model is populated with the help of a purposefully developed authoring tool and currently contains 300 paintings by 30 world known artists. Additionally, the User Profile model of the engine contains attributes used to personalise information to visitors. These models are exported to the higher levels of the architecture through a set of programming language classes (c#, java protégé data export facilities) and two sparql query (c# using SemWeb.Net and java using Jena and Pellet). Finally, the multi-scale image repository stores and serves through an IIS web server images in extremely large resolutions and their representation in xml to be used for deep zooming into digital artefacts.




Figure 1. Abstract service oriented architecture

The Computer Vision Infrastructure (figure 1 section B) is built on top of the Microsoft Kinect SDK to support a number of alternative interaction styles (hand - skeleton tracking, gestures and postures recognition). At the same level lies the zxing library for generating and scanning of QR codes.

The service oriented communication protocol (figure 1 section C) built on top of the FORTH's Famine middleware [12] (a distributed service oriented middleware), provides a common dialect for applications to coexist and communicate in the context of the developed application scenarios while using sensing for decision making.

The UI Adaptation engine (figure 1 section D) has the responsibility of producing adaptation decisions using the Windows Workflow Foundation Rules. For each application a set of rules has been defined. These rules are modeled separately from the interface itself and the adaptation engine carries out the task of chaining an interactive application with its rules and user profile to perform adaptation.

Finally, the Applications (figure 1 section E), which extract functionality from services, are targeted to different devices and application frameworks and are interconnected at runtime to form personalized application scenarios.

### 5. The Augmented Personalised Exhibit

The Augmented Personalized Exhibit provides interaction where no interaction exists (making physical artefacts interactive) and provides interactive digital artefacts where no artefacts exist (importing both an artefact and the means to interact with it within the CHI experience). The exhibit comprises a number of devices for content provision as well as a number of modalities for interaction. As shown in Figure 2, the main section of the exhibition wall is occupied by a digital representation of an exhibit in two variations. The first variation is a fully digital exhibit where the exhibit itself is projected through the usage of a short throw projector, while the second one is an actual physical painting. In both cases skeletal tracking technology is installed on the exhibit for tracking the location and distance of visitors. The installed tracking technology supports the presentation of information about points of interest using body tracking (two visitors supported on the body tracking mode while three are supported for the hand tracking). On the rear sides of the exhibit two tablets are mounted on the wall or on two portable stands to act as the captions of the painting. The captions based on the visitor profiles present a multitude of information such as description, videos, points of interests, deep zoom representation of the painting, full artefact info and information from external sources. These tablets are also

equipped with embedded web cameras for QR code recognition. Visitors' mobile phones are used for accessing information about the exhibit by scanning the QR codes (from the captions). Portable tablets, rented or carried by visitors, can be also be employed as information displays.




Figure 2. The interactive digital exhibit

## 5.1 Content Personalization

The content personalisation workflow is initialised by the installation of the mobile client to a visitor's cell phone. When the application launches, the user is prompted to fill-in an anonymous user profile. User selections are stored in the smart phone's local storage. This profile is used for presenting personalised information from the smart phone. All queries formed by the mobile application to the ontology model carry with them the required profile attributes and the QR code of the exhibit scanned by the user. Users can use the mobile client to generate a QR code representation of the profile that is in turn scanned by other interactive applications so as to identify user preferences. For example, the user can show the QR code generated from his mobile phone to the mounted caption or the exhibit itself, and the exhibit personalises the information to the profile selections of the user.

## 5.2 UI adaptation

Each interactive application comes to its initialisation state by retrieving and executing default application specific rules from the rules store. A QR recognition service is initiated and runs on the background. Each of the users can in turn use their Smartphone to generate the QR code representation of their profile, and point this representation to the application so as to transfer their preferences to the application. The transmitted preferences are used to alter several application properties. This results in the re-evaluation of the rules by the rule engine and the generation of adaptation decisions that are directly transferred from the Rules Engine to the application. The result is the generation of an adapted UI that matches the user preferences as recorded to the profile.

An example of this process is shown in figure 2 section 6. As shown there, on the top most of the picture is the screen from the mobile emulator where the user is entering his profile. Then on the bottom left of the picture is the QR code generated based on the user's profile and on the bottom right side is the QR code profile scanning mechanism that is running on the artefact caption. An example of how adaptation is achieved is shown in figure 2 section 1 and 5. In section 1 the user is not experienced with technology so skeletal tracking is employed to automatically identify his/her position and present information inline. On the contrary in section 5 the user is expert so hand tracking is employed to allow him to fully explore the exhibit.

In the case of multiple users a mixed adaptation process is followed. The profiles of all users are merged and the most appropriate representation of the exhibit is presented to cover possibly all users. Further research is required so as to mark with computer vision algorithms each user and thus allow the per user adaption of the interactive exhibits.

## 6. Discussion and future work

This work expands the current state of the art in the context of augmented exhibits within CHIs in a number of directions. The proposed digital exhibit integrates a number of alternative devices and interaction metaphors to facilitate simultaneous multi user access to paintings. Moreover, focus is put back to art itself rather than providing just another exhibit in the CHI. In the same context visitor's interaction capabilities, technology expertise and art knowledge are used for applying content personalisation and UI adaptation coping with the diversity of the target user population within CHIs. User acceptance and satisfaction factors were measured by conducting a user based evaluation within an in-vitro installation of the proposed approach. User based evaluation is planned in the near future. Practical exploitation of the concept within CHIs is currently being considered.

## Acknowledgments

This work is supported by the FORTH-ICS internal RTD Programme 'Ambient Intelligence and Smart Environments'.

## References

- [1] Stephanidis, C. (2001). The concept of Unified User Interfaces. In C. Stephanidis (Ed.), *User Interfaces for All - Concepts, Methods, and Tools*. Mahwah, NJ: Lawrence Erlbaum Associates, pp. 371-388 (ISBN 0-8058-2967-9).
- [2] Savidis, A., & Stephanidis, C. (2004). Unified user interface development: the software engineering of universally accessible interactions. *Universal Access in the Information Society*, 3(3-4), 165-193.
- [3] Stephanidis, C. (2012). Human Factors in Ambient Intelligence Environments. In G. Salvendy (Ed.), *Handbook of Human Factors and Ergonomics* (4th Edition), Chapter 49 (pp. 1354-1373). USA: John Wiley and Sons.
- [4] Falk, J. H., Koran, J. J., Dierking, L. D., & Dreblow, L. (1985). Predicting visitor behavior. *Curator: The Museum Journal*, 28(4), 249-258.
- [5] Serrell, B. (1998). *Paying Attention: Visitors and Museum Exhibitions*. American Association of Museums, Washington, DC.
- [6] Bimber, O., Coriand, F., Kleppe, A., Bruns, E., Zollmann, S., & Langlotz, T. (2006, July). Superimposing pictorial artwork with projected imagery. In *ACM SIGGRAPH 2006 Courses* (p. 10). ACM.
- [7] Kortbek, K. J., & Grønbaek, K. (2008, October). Interactive spatial multimedia for communication of art in the physical museum space. In *Proceedings of the 16th ACM international conference on Multimedia* (pp. 609-618). ACM.
- [8] Hornecker, E. and Stifter, M., 2006. Learning from interactive museum installations about interaction design for public settings. In *Proceedings of OZCHI '06*, 135-142
- [9] Ferris, K., Bannon, L., Ciolfi, L., Gallagher, P., Hall, T., Lennon, M. (2004). Shaping experiences in the hunt museum: a design case study. In: *Proceedings of DIS 2004*, pp. 205-214.
- [10] Robertson, T., Mansfield, T., and Loke, L., 2006. Designing an immersive environment for public use. In *Proceedings of PDC '06*. ACM, New York, NY, 31-40.
- [11] Economou, M., & Meintani, E. (2011). Promising beginnings? Evaluating museum mobile phone apps. In *Rethinking Technology in Museums Conference Proceedings* (pp. 26-27).
- [12] Georgalis, Y., Grammenos, D., Stephanidis, C.: Middleware for Ambient Intelligence Environments: Reviewing Requirements and Communication Technologies. In: Stephanidis, C. (ed.) *UAHCI 2009, Part II*. LNCS, vol. 5615, pp. 168–177. Springer, Heidelberg (2009)
- [13] Definition of the CIDOC Conceptual Reference Model: [http://www.cidoc-crm.org/docs/cidoc\\_crm\\_version\\_5.1-draft-2013May.pdf](http://www.cidoc-crm.org/docs/cidoc_crm_version_5.1-draft-2013May.pdf)